














Таблица 2.

Унифицированные профили резиновых уплотнений для дверей, крышек и закрытий танков

№	Конструкция и размеры, мм.	Марка резины нормативный документ.	Масса резины 1 м, кг.
1	 <p>18 x 34</p>	<p>C-509 ТУ 38 1051121-77.</p>	<p>0,74</p>
2	 <p>12 x 34</p>	<p>C-509 ТУ 38 1051121-77.</p>	<p>0,43</p>
3	 <p>12 x 38</p>	<p>C-509 ТУ 38 1051121-77.</p>	<p>0,49</p>
4	 <p>5 x 25</p>	<p>C-509 ТУ 38 1051121-77.</p>	<p>0,15</p>

5	 <p>17 x 24/32</p>	<p><b>Гр.В-М</b></p> <p>ТУ 38-105376-82</p>	<p>0,6</p>
6	 <p>16 x 20/25</p>	<p><b>Гр.В-М</b></p> <p>ТУ 38-105376-82</p>	<p>0,42</p>
7	 <p>15 x 29/35</p>	<p><b>Гр.В-М</b></p> <p>ТУ 38-105376-82</p>	<p>0,675</p>
8	 <p>10 x 22/26</p>	<p><b>Гр.МБ-М</b></p> <p>ТУ 38-105376-82</p>	<p>0,34</p>
9	 <p>15 x 26/32</p>	<p><b>Гр.МБ-М</b></p> <p>ТУ 38-105376-82</p>	<p>0,6</p>
10	 <p>14 x 43</p>	<p><b>Гр.МБ-С</b></p> <p>ТУ 38-105376-82</p>	<p>0,8</p>

11	 <p data-bbox="555 353 676 394">17 x 52</p>	<p data-bbox="1050 226 1185 264">Гр.МБ-С</p> <p data-bbox="1011 371 1224 405">ТУ 38-105376-82</p>	1,2
12	 <p data-bbox="555 694 676 734">20 x 22</p>	<p data-bbox="1059 546 1176 584">Гр. П-С</p> <p data-bbox="1011 694 1224 728">ТУ 38-105376-82</p>	0,61
13	 <p data-bbox="555 1014 676 1055">38 x 38</p>	<p data-bbox="1059 826 1176 864">Гр. П-С</p> <p data-bbox="991 976 1244 1010">ТУ 38-105376-82</p>	2,0